

Active Container

Electric type (e-type)

Maintaining inner temperature with air-conditioning system

0 ~ 25°C

Envirotainer^o
Precision with Purpose



RAPe2
(1100kg)

RKNe1
(635kg)

5 ~ 20°C



RelEye RAP
(1100kg)

RelEye RLP
(880kg)

4 ~ 25°C

Safe



RAP
(1213kg)

RKN
(646kg)

2 ~ 30°C

DeltaSch
TEMPERATURE SOLUTIONS



RAP
(1140kg)

RKN
(670kg)

Dry-Ice type (t-type)

Maintaining inner temperature with circulation fan

-20 ~ 20°C

Envirotainer^o
Precision with Purpose



RAPt2
(450kg)

RKnt2
(265kg)

-5 or 5°C

ANA



RAP
(533kg)

RKN
(290kg)

*The inside temperature of container will be maintained $\pm 3^{\circ}\text{C}$ when the ambient temperature is more than 5°C and less than 25°C higher than the container set temperature. If the difference between the container set temperature and the outside temperature is larger than the said range, the temperature may deviate from the desired range.

Note

The available airports and lease conditions of each container differs. For details, please kindly contact our Sales in charge.

The weight specified in the chart is the container's tare weight.

Passive Container

Maintaining inner temperature with Phase Change Material (PCM) and/or Vacuum Insulation Panels (VIPs)

-90 ~ -20°C 2 ~ 8°C / 15 ~ 25°C



1500DF
(430kg)



1500X COL/CRT
(379kg)



Precision with Purpose

(ProofTainer/Formerly va-Q-tainer)



2 US/TWINx



2 Euro/XLx



US/USx



Euro/EUROx

Type	<-60°C	-40 ~ -20°C	-30 ~ -20°C	-25 ~ -15°C	2 ~ 8°C	15 ~ 25°C
2 US/TWINx	875kg	935kg	960kg	905kg	800kg	800kg
2 Euro/XLx	715kg	820kg	840kg	740kg	660kg	660kg
US/USx	630kg	670kg	680kg	640kg	575kg	575kg
Euro/Eurox	500kg	530kg	540kg	510kg	440kg	440kg

*Due to the merger of Envirotainer and va-Q-tec, va-Q-tainer will become ProofTainer, and the design will be updated periodically.

Note

The available airports and lease conditions of each container differs. For details, please kindly contact our Sales in charge.

The weight specified in the chart is the container's tare weight.

Temperature-Controlled Container Lineup

Category	Company	Type	Temperature Range	Effective Duration Time * 1	Internal Dimension (cm)	External Dimension (cm)	ANA Leasing (Lease Period)	Forwarder Leasing			
Active Container	Envirotainer	RKN e1	0~+25 °C	MAX 100 Hours	134.0 x 131.9 x 131.5	200.0 x 153.0 x 162.0	YES (4, 6 or 16 days)	YES			
		RAP e2			246.5 x 205.5 x 126.0	317.5 x 223.5 x 162.6					
		Releye RLP	+5~+20 °C	MAX 170 Hours	247.5 x 135.4 x 132.0	317.5 x 153.4 x 162.6					
		Releye RAP			246.6 x 205.5 x 132.0	317.5 x 223.5 x 162.4					
		CSafe	RKN	+4~+25°C	MAX 130 Hours	121.9 x 127.3 x 127.7			200.7 x 153.4 x 162.6	YES (4, 6, 9 or 16 days)	YES
			RAP			247.7 x 208.3 x 129.5			317.5 x 223.5 x 162.6		
		DoKaSch	RKN	+2~+30°C	MAX 70 Hours	125.0 x 122.0 x 123.0			200.7 x 153.4 x 162.6	YES (8, 15 or 16 days)	YES
			RAP			246.0 x 202.3 x 132.0			317.5 x 223.5 x 161.5		
	Dry-Ice Type (t-type)	ANA	RKN	-5°C or +5°C	MAX 72 Hours	(Door Size) 135.8 x 130.4	200.0 x 156.2 x 161.0	YES (6 days)	NO		
			RAP			(Door Size) 207.3 x 144.7	317.5 x 223.5 x 162.0				
Envirotainer	RKN t2	RAP t2	-20~+20 °C	MAX 72 Hours	141.5 x 135.5 x 136.0	200.0 x 153.5 x 162.0	YES (4, 6 or 16 days)	NO			
					253.5 x 206.5 x 142.0	317.0 x 223.0 x 162.0					
Passive Container	Envirotainer (ProofTainer/va-Q-tainer)	2 US/TWINS	-25~-15°C or +2~8°C or +15~+25°C or -30~-20°C or -40~-20°C or -60°C Lower	MAX 120 Hours	211.0 x 125.0 x 122.0	238.0 x 149.0 x 158.0	YES (7, 9 or 11 days)	YES			
		2 Euro/XLx			164.0 x 125.0 x 122.0	189.0 x 149.0 x 158.0					
		US/Usx			120.0 x 125.0 x 117.0	143.0 x 149.0 x 158.0					
		Euro/EUROx			120.0 x 85.0 x 117.0	142.0 x 109.0 x 158.0					
	SkyCell	1500X CRT	+15~+25°C	MAX 270 Hours	123.5 x 103.5 x 130.0	145.6 x 117.0 x 160.0	NO*2	YES			
		1500X COL	+2~+8 °C	MAX 270 Hours	123.5 x 103.5 x 130.0	145.6 x 117.0 x 160.0					
		1500 DF	-90~-20°C	MAX 199 Hours	123.5 x 84.5 x 112.4	153.0 x 132.0 x 160.0					

* 1 : Effective duration time is a rough estimate and may vary depending on the ambient temperature and the amount of dry ice, etc.

* 2 : For ANA leasing, please kindly contact our Sales representatives for more details.

Container Loading Restrictions

Container Company	Loading Restrictions
Envirotainer	·None
CSafe	·Perishables * For foods other than perishables (processed foods, etc.), please kindly contact our Sales representatives. ·Dangerous Goods (Including Excepted Quantity): All Class 1, Class 2.1 & 2.3, All Class 3, All Class 4, All Class 5, All Class 8
DoKaSch	·Cargo emitting odor
Envirotainer (ProofTainer/va-Q-tainer)	·Perishables * For foods other than perishables (processed foods, etc.), please kindly contact our Sales representatives.
SkyCell	·Foods and perishables ·For Dangerous Goods, please kindly contact our Sales representatives.

Terms & Conditions in case of Forwarder Leasing

	Terms & Conditions
Outline	The containers arranged/leased by the forwarder on its own shall also be applicable for the ANA's PRIO PHARMA and PRIO TEMP service. * For those containers directly arranged by shippers are also accepted as the Forwarder Leasing.
Acceptance Conditions	Only the containers leased by the forwarders who have signed the ANA's form ("RELEASE & INDEMNIFICATION AGREEMENT") in advance are acceptable. * For the details, please kindly contact our Sales representatives.
Returning of Containers	The container is to be returned under the forwarder's responsibility. Please note that the container shall not be returned to ANA's warehouse. When the container is brought to the ANA's warehouse, we will not accept them.